


卫生级快装同心大小头 3A
Clamped Concentric Reducer 3A

材 质 Material: 304 / 316

规 格 Size: 3/4"X1/2"-6"X4"




Size	ØD	ØD1	ØD2	Ød	H
3/4"X1/2"	25.2	25.2	19.1	12.7	50.8
1"X1/2"	50.5	25.2	25.4	12.7	76.2
1"X3/4"	50.5	25.2	25.4	19.1	50.8
1 1/2"X3/4"	50.5	25.2	38.1	19.1	101.6
1 1/2"X1"	50.5	50.5	38.1	25.4	76.2
2"X1/2"	64	50.5	50.8	25.4	177.8
2"X3/4"	64	50.5	50.8	38.1	152.4
2"X1"	64	50.5	50.8	25.4	127
2"X1 1/2"	64	50.5	50.8	38.1	76.2
2 1/2"X1"	77.5	50.5	63.5	25.4	152.4
2 1/2"X1 1/2"	77.5	50.5	63.5	38.1	127
2 1/2"X2"	77.5	64	63.5	50.8	76.2
3"X1"	91	50.5	76.2	25.4	228.6
3"X1 1/2"	91	50.5	76.2	38.1	177.8
3"X2"	91	64	76.2	50.8	127
3"X2 1/2"	91	77.5	76.2	63.5	76.2
4"X1/2"	119	50.5	101.6	25.4	282.5
4"X2"	119	64	101.6	50.8	231.8
4"X2 1/2"	119	77.5	101.6	63.5	181
4"X3"	119	91	101.6	76.2	130.2
6"X3"	166.8	91	152.4	76.2	263.5
6"X4"	166.8	119	152.4	101.6	266.7

卫生级快装同心大小头 ISO/IDF
Clamped Concentric Reducer ISO/IDF

材 质 Material: 304 / 316


规 格 Size: 1"x3/4"~4"x31/2"



Size	ØD	ØD1	ØD2	Ød	H
1"x3/4"	50.5	25.2	25.4	19.05	80
1 1/4"x1"	50.5	50.5	31.8	25.4	92
1 1/2"x1"	50.5	50.5	38.1	25.4	92
1 1/2"x1 1/4"	50.5	50.5	38.1	31.8	92
2"x1 1/4"	64	50.5	50.8	31.8	109
2"x1 1/2"	64	50.5	50.8	38.1	109
2 1/2"x1"	77.5	50.5	63.5	25.4	109
2 1/2"x1 1/2"	77.5	50.5	63.5	38.1	109
2 1/2"x2"	77.5	64	63.5	50.8	109
3"x1 1/2"	91	50.5	76.2	38.1	109
3"x2"	91	64	76.2	50.8	109
3"x2 1/2"	91	77.5	76.2	63.5	109
3 1/2"x2"	106	64	88.9	50.8	109
3 1/2"x2 1/2"	106	77.5	88.9	63.5	109
3 1/2"x3"	106	91	88.9	76.2	109
4"x2"	119	64	101.6	50.8	145
4"x2 1/2"	119	77.5	101.6	63.5	145
4"x3"	119	91	101.6	76.2	145
4"x3 1/2"	119	106	101.6	88.9	145

卫生级快装同心大小头 KR
Clamped Concentric Reducer KR

材 质 Material: 304 / 316
规 格 Size: 0.75SX0.5S-4SX3S



Size	ØD	ØD1	ØD2	Ød	H	T
0.75SX0.5S	25.2	25.2	19.1	12.7	90	1.2
1SX0.5S	50.5	25.2	25.4	12.7	90	1.5
1SX0.75S	50.5	25.2	25.4	19.1	90	1.5
1.5SX0.5S	50.5	25.2	38.1	12.7	90	1.5
1.5SX0.75S	50.5	25.2	38.1	19.1	90	1.5
1.5SX1S	50.5	50.5	38.1	25.4	107	1.2
2SX1S	64	50.5	50.8	25.4	109	1.5
2SX1.5S	64	50.5	50.8	38.1	109	1.5
2.5SX1S	77.5	50.5	63.5	25.4	113	1.5
2.5SX1.5S	77.5	50.5	63.5	38.1	113	1.5
2.5SX2S	77.5	64	63.5	50.8	115	1.5
3SX1S	91	50.5	76.2	25.4	115	2
3SX1.5S	91	50.5	76.2	38.1	115	2
3SX2S	91	64	76.2	50.8	117	2
3SX2.5S	91	77.5	76.2	63.5	121	2
4SX1S	119	50.5	101.6	25.4	151	2
4SX1.5S	119	50.5	101.6	38.1	151	2
4SX2S	119	64	101.6	50.8	153	2
4SX2.5S	119	77.5	101.6	63.5	157	2
4SX3S	119	91	101.6	76.2	159	2